AUTHOR INDEX TO VOLUME 44

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to Editor.

Abbott, R. B. (see Jenkins Ruth O.)—321(A)
——— (see Stevens, T. H.)—321(A)
Adams, Norman I., Jr. Application of probabilities to the counting of α-particles—651
Adel, Arthur. Raman spectrum of gaseous carbon dioxide —691(L)
——— (see Barker, E. F.)—185
——— (see Dennison, D. M.)—131(A)
——— **and D. M. Dennison.** Infrared Spectrum of carbon dioxide, Part II—99
Ahearn, A. J. Effect of temperature on the emission of electron field currents from tungsten and molybdenum —277
Akeley, Edward L. Canonical coordinate system in Riemannian geometry—318(A)
Allen, Robert I. and F. W. Constant. Absolute saturation of cubic cobalt—228
Allis, W. P. (see Morse, P. M.)—269
Allison, Fred (see Bishop, Edna R.)—419(L)
Allison, Samuel K. Natural widths of the $K\alpha$ x-ray doublet from 26Fe to 47Ag—63
Almy, G. M. and F. M. Sparks. Absorption spectrum of diatomic bismuth—365
Ambrose, H. A. and A. G. Loomis. Fluidities of thixotropic gels: Bentonite suspensions—320(A)
Anderson, Carl D. Cosmic-ray positive and negative electrons—406
Anderson, O. E. (see White, H. E.)—128(A)
Arvin, M. J. (see Loomis, F. W.)—126(L)
Ashley, Muriel F. Nuclear spin of phosphorus from band spectrum analysis—919
Asling, Walter Louis and R. T. Dufford. Efficiency of chemiluminescence accompanying the Wedekind reaction—315(A)
Aughey, W. H. and W. D. Lansing. New monochromatic filter—326(A)

Babcock, C. L. (see Lark-Horovitz, K.)—321(A)
——— **and J. V. Hoffacker.** New visco-conductimeter—320(A)
Babcock, Harold D. Remarks on the "lines" of diffraction gratings—129(A)
Bainbridge, Kenneth T. Comparison of the masses of H^2 and helium—57(L)
——— Equivalence of mass and energy—123(L)
——— Masses of the lithium isotopes—56(L)
Baker, R. F. (see DeVore, L. T.)—324(A)
——— (see Morgan, H. E.)—324(A)
Ballard, Stanley S. (see Grace, N. S.)—128(A)
Barker, E. F. (see Plyler, E. K.)—984
——— **and Arthur Adel.** Resolution of the two difference bands of CO_2 near 10μ—185
Barnes, A. H. Structure of the x-ray K absorption limits of the elements manganese to zinc—141
Barnes, R. Bowling. Plasticity of rocksalt and its dependence upon water—898
Barnes, S. W. (see Richtmyer, F. K.)—311(L)
Bartlett, B. W. Errata—Variation of the principal magnetic susceptibilities of certain paramagnetic crystals with temperature—687
Bartlett, J. H., Jr. (see Brown, F. W.)—296
——— **and J. J. Gibbons, Jr.** Isotope shift in neon—325(A); 538
Bayley, P. L. Raman spectra of three amines—510(L)
Bayliss, Noel S. (see Gibson, G. E.)—188; 193
Beams, J. W. Field electron emission from liquid mercury —803
——— **and L. B. Snoddy.** Production of high velocity ions and electrons—784(L)
Bear, Richard S. (see Spedding, F. H.)—287
Beeck, Otto. Production of neutral rays of several hundred ion-volt-equivalent, the absolute measurement of their intensity and the ionizing function of argon rays in argon—317(A)
Bennett, Willard H. Discrepancy between theory and experiment in cold emission—859(L)
——— Self-focussing electron streams—322(A)
Bishop, Edna R. and Fred Allison. Isotopes of chlorine—419(L)
Blair, Julian M. (see Jones, Merton W.)—131(A)
——— **and Malcolm C. Hylan.** Intermittency effect in photographic exposure—131(A)
Bleakney, Walker (see Harnwell, G. P.)—785(L)
——— **and Austin J. Gould.** Relative abundance of hydrogen isotopes—265
Bonner, T. W. Dependence of the absorption of neutrons on their velocity—235(L)
Bowen, I. S., R. A. Millikan and H. V. Neher. New, high-altitude, study of cosmic-ray bands and a new determination of their total energy content—246
Bowie, Robert M. (see Fox, Gerald W.)—345
Bradbury, Norris E. Electron attachment and negative ion formation in oxygen and oxygen mixtures—883; 952(A)
Bramley, Arthur. Band spectra measurement of mass—309(L)
Brasefield, Charles J. Production of secondary electrons by argon positive ions and by argon atoms—1002
Breit, G. Isotope shift of Tl—418(L)
——— (see Johnson, M. H., Jr)—77
——— (see Wheeler, John A.)—948(L)

Breit, G. and Lawrence A. Wills. Hyperfine structure in intermediate coupling—470
Brewer, A. Keith. Effect of alkali ions on the photoelectric emissivity of tungsten—1016
Brode, Robert B. and Edward B. Jordan. Reflection of electrons from liquid mercury—872
Brown, F. W. Charge distributions in fluorine and neon—214
——— **J. H. Bartlett, Jr. and C. G. Dunn.** Charge distribution for the normal atoms from boron to neon—296
Brownscombe, E. R. (see Fricke, H.)—240(L)
Broxom, James W., George T. Meredith and Louis Strait. Relations among fluctuations of the cosmic-ray ionization, of the terrestrial magnetic field, of the atmospheric potential gradient, and of the absolute humidity—253
Bruce, C. W. Electro-optical Kerr effect in gases—682

Cady, W. G. Survey of piezoelectricity—954(A)
Cady, Willoughby M. High terms in the spectra N^v and O^v—128(A)
——— New terms in the spectra of N III, N IV, N V, O III, O IV and O V—821
Carlson, J. F. (see Furry, W. H.)—237(L)
Cassen, Benedict. On the nature of cosmic-ray showers—513(L)
Caswell, A. E. Hooke's law and crystal structure—320(A)
Chamberlain, Katherine and Harold B. Cutter. New bands in the electronic band spectrum of neutral OH—927
Chow, Tung-Ching. Spectrum of sulphur dioxide—638
Cleeton, C. E. and N. H. Williams. Magnetostatic oscillator for the generation of 1 to 3 cm waves—421(L)
Cleveland, Forrest F. Magnetic force and the law of action and reaction—318(A)
Clewell, D. H. and J. Wulff. Reflecting power of aluminum and its alloys in different regions—952(A)
Coates, Wesley M. and E. O. Lawrence. X-rays produced by fast mercury ions—327(A)
Cohn, Willi M. X-ray investigations at high pressures—326(A)
Compton, K. T. and E. S. Lamar. Test of the classical "momentum transfer" theory of accommodation coefficients of ions at cathodes—338
Condon, E. U. and C. W. Ufford. Relative multiplet transition probabilities from spectroscopic stability—740
Constant, F. W. (see Allen, R. I.)—228
Coolidge, A. S. (see James, H. M.)—953(A)
Cooper, F. S. (see Kruger, P. G.)—418(L); 826
——— **and P. Gerald Kruger.** Standard wave-lengths in the copper sepctrum in the region 80A to 650A—324(A)
Cork, J. M. (see Purdon, E. G.)—328(A); 974
Crane, H. R. and C. C. Lauritsen. On the production of neutrons from lithium—783(L)
——— **C. C. Lauritsen and A. Soltan.** Artificial production of neutrons—514(L)
——— **C. C. Lauritsen and A. Soltan.** Production of neutrons by high speed deutons—692(L)
Crawford, F. H. and C. F. Ffolliott. Band spectra of the halides of aluminum—953(A)
Crawford, M. F. (see McLay, A. B.)—986
Cunningham, W. P. and William W. Watson. Zeeman effect and uncoupling phenomena in the CaH bands—815
Cutter, Harold B. (see Chamberlain, Katherine)—927

Darrow, K. K. Elementary particles—954(A)
Dawson, David H. (see Johnston, Herrick L.)—1031(L)
Davey, W. P. (see Singer W. E.)—319(A)
Déjardin, G. and R. Schwégler. Photoelectric properties of magnesium layers—316(A)
Deming, W. Edwards. Probable errors of the parameters in an empirical formula—317(A)
Dennison, D. M. (see Adel, A.)—99
——— **and A. Adel.** Molecular spectra in the photographic infrared—131(A)
Dersham, Elmer. Laws of absorption for soft x-rays—328(A)
DeVore, L. T. Emissivity of a non-black body—324(A)
——— Photographic recording photoelectric densitometer—329(A)
——— (see Morgan, H. E.)—324(A)
——— **and R. F. Baker.** Tungsten filament lamp as a standard source for radiation measurements—324(A)
Dickinson, Beryl H. Specific isotope effect in the lead spectrum—329(A)
Douglas, A. V. (see Foster, J. S.)—325(A)
DuBridge, Lee A. (see Roehr, W. W.)—316(A)
——— **and R. C. Hergenrother.** Effect of temperature on the energy distribution of photoelectrons. I. Normal energies—861
Duffendack, O. S. (see Emeleus, K. G.)—322(A); 945(L)
Dufford, R. T. New observations on the photovoltaic effect—315(A)
——— (see Asling, Walter Louis)—315(A)
——— (see Thomas Clarence Delmar)—315(A)
Dunham, Theodore, Jr. Photoelectric measurement of the shapes of solar absorption lines—329(A)
——— Spectra of Mars, Venus and Jupiter under high dispersion—131(A)
Dunn, C. G. (see Brown, F. W.)—296
Dunning, J. R. and G. B. Pegram. On neutrons from a beryllium-radon source—317(A)
Duveneck, F. B. (see Webster, D. L.)—258

Eaton, V. E. New experiments and apparatus for the elementary physics laboratory—954(A)
Eckart, Carl. Comparison of the nuclear theories of Heisenberg and Wigner. I—109
——— General derivation of the formula for the diffraction by a perfect grating—12
Edlén, Bengt. Ionization potential of Be III—778(L)
Eliason, A. Y. (see White, H. E.)—753
Ellett, A. (see Heydenburg, N. P.)—326(A)
Ellis, Joseph W. and Hans O. Kneser. Combination relation in the absorption spectrum of liquid oxygen—420(L)
Emeleus, K. G. (see Sloane, R. H.)—322(A); 333
——— **and O. S. Duffendack.** Faraday dark space—322(A)
——— **and O. S. Duffendack.** Inert gas molecules—945(L)
Evans, Robley D. Radioactivity and the age of meteorites—131(A)

Evans, Robley D. Uranium and thorium content of rocks determined from their surface radiation—129(A)
——— **and M. C. Henderson.** Failure to detect radioactivity in beryllium—131(A)
——— **and M. C. Henderson.** Failure to detect radioactivity in beryllium with the linear amplifier—59(L)
Evjen, H. M. Contribution to the theory of heteropolar crystals—501
——— New analysis of Slater's compressibility data—491

Fankuchen, I. Crystal structure of potassium uranyl acetate—327(A)
Farnsworth, H. E. Concerning W. T. Sproull's article on "Diffraction of low speed electrons by a tungsten single crystal"—417(L)
Fermi, Enrico and George E. Uhlenbeck. On the recombination of electrons and positrons—510(L)
Ffolliott, C. F. (see Crawford, F. H.)—953(A)
Fisher, Russell A. Analysis of Zeeman patterns—724
Foster, J. S. and A. V. Douglas. Stellar stark line He λ4470—325(A)
Fox, Gerald W. and Robert M. Bowie. New method for determining the thermionic work functions of metals and its application to nickel—345
Frederickson, W. R. and C. R. Stannard. Magnetic rotation spectrum of the red bands of sodium—632
Fricke, Hugo and E. R. Brownscombe. Inability of x-rays to decompose water—240(L)
Furry, W. H. and J. F. Carlson. On the production of positive electrons by electrons—237(L)

Gagge, A. Pharo. Magnetic deflection method for angular distribution of electrons scattered by gas molecules—808
Galli-Shohat, N. Reflection of a spherical light-wave from a moving plane mirror—319(A)
Gans, David M. (see Harkins, William D.)—236(L); 529; 945(L)
——— **William D. Harkins and Henry W. Newson.** Failure to detect the radioactivity of beryllium with the Wilson cloud chamber—310(L)
Genard, J. Fluorescence of diatomic molecules of antimony—468
Germer, L. H. Electron diffraction and the imperfection of crystal surfaces—1012
Giauque, W. F. and D. P. MacDougall. Heat capacity of gadolinium sulfate octahydrate below 1° absolute—235(L)
Gibbons, J. J., Jr. (see Bartlett, J. H., Jr)—325(A); 538
Gibbs, R. C. (see Williams, R. C.)—325(A)
——— **and R. C. Williams.** Electronic atomic weight and e/m ratio—1029(L)
Gibson, G. E. and Noel S. Bayliss. Variation with temperature of the continuous absorption spectrum of diatomic molecules: Part I. Experimental, the absorption spectrum of chlorine—188
——— **O. K. Rice and N. S. Bayliss.** Variation with temperature of the continuous absorption spectrum of diatomic molecules: Part II. Theoretical—193
Gleason, Paul R. Electrical characteristics of barrier-layer photo-cells—315(A)
——— Variation in sensitivity of the photronic cell with x-ray wave-lengths—330(A)
Gould, A. J. (see Bleakney, Walker)—265
Grace, Norman S. Hyperfine structure of the rare earths—603(L)
——— Nuclear moments, and their dependence upon atomic number and mass number—361
——— Suggested dependence of nuclear moments on atomic number—58(L)
——— (see McMillan, Edwin)—949(L)
——— (see Spedding, F. H.)—58(L)
——— **and Stanley S. Ballard.** Hyperfine structure and nuclear moment of columbium—128(A)
——— **and Edwin McMillan.** Hyperfine structure and nuclear spin of tantalum—325(A)
——— **and Kenneth R. More.** Hyperfine structure of molybdenum—128(A)
Granath, L. P. (see Van Atta, C. M.)—60(L)
——— **and C. M. Van Atta.** Nuclear spin and magnetic moment of sodium from hyperfine structure—935
Gray, Newton M. Nuclear spin of Li^7 from hyperfine structure data—570
Green, J. B. and R. A. Loring. Second order Zeeman effect in the arc spectrum of mercury—325(A)

Hafstad, L. R. Application of the FP-54 Pliotron to atomic disintegration-studies—201
Halpern, O. Scattering processes produced by electrons in negative energy states—855(L)
Hansen, W. W. Emission and absorption of radiation—954(A)
——— (see Webster, D. L.)—258
Hanson, Alvin W. Elastic constants of zinc—320(A)
Harkins, William D. (see Gans, D. M.)—310(L)
——— **David M. Gans and Henry W. Newson.** Disintegration of fluorine nuclei by neutrons and the probable formation of a new isotope of nitrogen (N^{16})—945(L)
——— **David M. Gans and Henry W. Newson.** Disintegrations of neon nuclei by fast neutrons—236(L)
——— **David M. Gans and Henry W. Newson.** Disintegration of the nuclei of nitrogen and other light atoms by neutrons. I—529
Harnwell, G. P., W. Bleakney, S. N. VanVoorhis, and J. B. H. Kuper. Faraday effect at high frequencies—785(L)
Harris, Louis (see Johnson, E. A.)—944(L)
Harvey, G. G. Diffuse scattering of x-rays from sylvine. IV. Scattering at high temperatures—133
Hazel, Herbert and R. R. Ramsey. Beat note-combinational tone controversy—321(A)
Henderson, Malcolm C. (see Livingston, M. Stanley)—316(A); 781(L); 782(L)
——— (see Evans, Robley D.)—59(L); 131(A)
Hendricks, S. B. (see Jones, E. J.)—322(A)
Henshaw, C. L. (see Waterman, A. T.)—59(L)
Hergenrother, R. C. (see DuBridge, Lee A.)—861
Herzfeld, K. F. and R. H. Lee. Theory of forced double refraction—625
Heydenburg, N. P. and A. Ellett. Nuclear moment of Na, and polarization of resonance radiation—326(A)

Hirsh, F. R., Jr., and F. K. Richtmyer. Relative intensities of certain *L*-series x-ray satellites in cathode-ray and in fluorescence excitation—955
Hoffacker, J. V. (see Babcock, C. L.)—320(A)
Hollister, S. C. and G. J. Schoessow. Stress concentration at a circular hole in a plate in monaxial tension—330(A)
Hopfield, John J. Study of a new water jet with stroboscope and camera—321(A)
Houston, William V. (see Lewis, Charlton M.)—903
Howell, Lynn G. (see Mott-Smith, Lewis M.)—4
Hughes, A. L. and J. H. McMillen. Electron scattering in methane, acetylene and ethylene—876
——— **and J. H. McMillen.** Inelastic electron scattering by helium atoms—20
Hui, Ching-Young. Crystal structure of sodium thioantimonate—327(A)
Hull, G. F. Cosmic-ray counters and cosmic-ray counts—952(A)
Hunt, Frederick V. Vacuum-tube voltmeter with logarithmic response—952(A)
Hutchisson, E. and A. L. Robinson. Single electrode potentials and the e.m.f. of a cell—323(A)
Hylan, Malcolm C. (see Blair Julian M.)—131(A)

Ingersoll, L. R. and Wesley R. Winch. Dispersion of the Kerr electro-optic effect in the short infrared spectrum—399

James, H. M. and A. S. Coolidge. New treatment of the H_2 molecule—953(A)
Jarvis, C. W. and E. N. Shawhan. Attempt to discover radiation at low critical potentials in mercury vapor—943(L)
Jauncey, G. E. M. (see Pennell, Ford)—328(A)
——— **and Ford Pennell.** Scattering of x-rays from powdered crystals at low temperatures—138
——— **and H. W. Richardson.** Sensitiveness of photographic films to x-rays at low temperatures—328(A)
——— **and P. S. Williams.** Diffuse scattering of x-rays from sodium fluoride. II. Scattering at the temperature of liquid air—794
Jenkins, F. A. and Andrew McKellar. Redetermination of the mass ratio of the lithium isotopes from the band spectrum—325(A)
Jenkins, Ruth O. and R. B. Abbott. Some frequencies of multiple resonators—321(A)
Jeppesen, C. Rulon. Emission spectrum of molecular hydrogen in the extreme ultraviolet—165
Johnson, E. A. and Louis Harris. Thermoelectric force of thin films—944(L)
Johnson, M. H., Jr. and G. Breit. Magnetic interaction of a valence electron with inner shells—77
Johnson, Thomas H. Preliminary report of the results of angular distribution measurements of the cosmic radiation in equatorial latitudes—856(L)
——— **and E. C. Stevenson.** Asymmetry of the cosmic radiation at Swarthmore—125
Johnston, Herrick L. and David H. Dawson. Spectrum of $O^{16}H^2$—1031(L)
Jones, Ernest J. Positive ion excitation of mercury vapor—707
——— **and S. B. Hendricks.** Sources of positive ions: thermionic properties of the system Li_2O, Al_2O_3, SiO_2—322(A)
Jones, Merton W. and Julian M. Blair. Analysis of the action of hydrogen peroxide on photographic emulsions 131(A)
Jordan, Edward B. (see Brode, R. B.)—872

Kabakjian, D. H. Decay of luminescence and light absorption in phosphorescent materials—618
Kaplan, Joseph. New band system in nitrogen—947(L)
——— Unusual nitrogen tube—783(L)
Kaufman, Sidney (see Richtmyer, F. K.)—605
Keck, Paul and Leonard B. Loeb. Study of a powerful source of positive alkali ions—130(A)
Kemble, E. C. Characterization of physically admissible wave functions—954(A)
——— **and R. D. Present.** On the breakdown of the Coulomb law for the hydrogen atom.—1031(L)
Kenty, Carl. Photoelectric yields in the extreme ultraviolet—891
Kirkpatrick, Paul (see Webster, D. L.)—130(A)
Kirkwood, John G. Quantum statistics of almost classical assemblies—31
Kneser, Hans O. (see Ellis, J. W.)—420(L)
Ko, Cheng Chuan. Heat of dissociation of Bi_2 determined by the method of molecular beams—129(A)
Koehler, James F. Quenching of iodine fluorescence by iodine and argon—761
Koenig, Harold D. Calculation of characteristic values for periodic potentials—657
Korff, S. A. Azimuthal investigation of cosmic radiation—130(A); 515(L)
——— Density of energy in the universe—300
Kruger, P. Gerald (see Cooper, F. S.)—324(A)
——— **and F. S. Cooper.** Be III $1snp\,^1P_1 - 1s^2\,^1S_0$ series—418(L)
——— **and F. S. Cooper.** Standard copper wave-lengths in the region 100A to 450A—826
——— **and W. E. Shoupp.** Multiplets of O III, O IV, and O V in the region 100A to 650A—324(A)
——— **and W. E. Shoupp.** Multiplets in the spectra of O III, O IV, O V and C III—105

Ku, Z. W. Absorption spectrum of chlorine dioxide—376
——— Intensity distribution in a band system of symmetrical triatomic molecules—383
Kunz, Jakob. Application of a vibrating velocity selector for the determination of the magnetic moment of hydrogen—323(A)
Kuper, J. B. H. (see Harnwell, G. P.)—785(L)
Kurie, Franz N. D. Collisions of neutrons with protons—463

Lamar, E. S. (see Compton, K. T.)—338
——— **and Overton Luhr.** Convenient proton source—947(L)
Lanczos, Cornelius. Fundamental connection between Hamiltonian dynamics and wave mechanics—318(A)
Landé, A. Magnetic moment of the proton—1028(L)
——— Possibility of electric charge—689(L)

Lane, C. T. Variation of the magnetic properties of barium with temperature—43
Lang, R. J. Spectrum of Cb IV—325(A)
Langmuir, Irving (see Taylor, John Bradshaw)—423
Langseth, A. and J. R. Nielsen. Raman spectra of some linear triatomic molecules—326(A)
Lansing, W. D. (see Aughey, W. H.)—326(A)
Lark-Horovitz, K. and C. L. Babcock. Viscosity and conductivity of molten glasses—321(A)
——— **and S. E. Madigan.** Crystallization of polymorphous substances—320(A)
Latimer, Wendell M. and Herbert A. Young. Isotopes of calcium by the magneto-optic method—61(L)
——— **and Herbert A. Young.** Isotopes of hydrogen by the magneto-optic method. The existence of H^3—690(L)
Lauritsen, C. C. (see Crane, H. R.)—514(L); 692(L); 783(L)
Lawrence, Ernest O. (see Coates, W. M.)—327(A)
——— (see Livingston, M. Stanley)—316(A); 781(L); 782(L)
——— (see Lewis, Gilbert N.)—55(L); 317(A)
——— **and M. S. Livingston.** Three types of nuclear disintegration of calcium fluoride by bombarding protons of very great energy—316(A)
——— **M. S. Livingston and G. N. Lewis.** Emission of protons from various targets bombarded by deutons of high speed—56(L)
Lee, R. H. (see Herzfeld, K. F.)—625
Lewis, Charlton M. and William V. Houston. Raman effect in ammonia and some other gases—903
Lewis, Gilbert N. (see Lawrence, Ernest O.)—56(L)
——— **M. Stanley Livingston and Ernest O. Lawrence.** Emission of alpha-particles from various targets bombarded by deutons of high speed—55(L)
——— **M. Stanley Livingston and Ernest O. Lawrence.** Disintegration of nuclei by swiftly moving ions of the heavy isotope of hydrogen—317(A)
Libby, W. F. Stability of beryllium—512(L)
Liben, I. and H. M. O'Bryan. Absorption and reflection of gold between 380A and 1400A—952(A)
Livingston, M. Stanley (see Lawrence, E. O.)—56(L); 316(A)
——— (see Lewis, G. N.)—55(L); 317(A)
——— **Malcolm C. Henderson and Ernest O. Lawrence.** Disintegration of the elements by swiftly moving protons—316(A)
——— **Malcolm C. Henderson and Ernest O. Lawrence.** Neutrons from deutons and the mass of the neutron—781(L)
——— **Malcolm C. Henderson and Ernest O. Lawrence.** Neutrons from beryllium bombarded by deutons—782(L)
Locher, Gordon L. Neutrons from cosmic-ray Stösse—779(L)
Loeb, Leonard N. (see Keck, P.)—130(A)
Long, J. D. (see Singer, W. E.)—319(A)
Loomis, A. G. (see Ambrose, H. A.)—320(A)
Loomis, F. W. and M. J. Arvin. Band spectrum of NaK—126(L)
Lorenz, Egon. Investigation on mitogenetic radiation by means of a photoelectric counter tube—329(A)
Loring, R. A. (see Green, J. B.)—325(A)
Lowan, Arnold N. On the cooling of a radioactive sphere—769
Lozier, W. Wallace. Heats of dissociation of hydrogen and nitrogen—575
Luhr, Overton. Nature of gas ions—459
——— (see Lamar, E. S.)—947 (L)

MacDougall, D. P. (see Giauque, W. F.)—235(L)
Madigan, S. E. (see Lark-Horovitz, K.)—320(A)
Manning, K. V. (see Richtmyer, F. K.)—311(L)
Manning, Millard F. and Nathan Rosen. Potential function for vibrations of diatomic molecules—953(A)
Margenau, Henry. Asymmetries of pressure broadened spectral lines—931; 954(A)
——— (see Watson, William W.)—748
——— **and William W. Watson.** Pressure effects of foreign gases on the sodium *D*-lines—92
Marvin, H. H. Limitations of the theory of complex spectra—818
Matheson, L. A. Atomic polarization of CO—604(L)
Maxwell, Louis R. Electron diffraction by liquids—73
McKeehan, L. W. Magnetic dipole fields in unsaturated cubic crystals—582
——— Magnetic quadruple field and energy in cubic and hexagonal crystals—38
McKellar, Andrew. Mass ratio of the lithium from the spectrum of Li_2—155
——— (see Jenkins, F. A.)—325(A)
McLay, A. B. and M. F. Crawford. Multiplet and hyperfine structure analyses of Bi IV. Discussion of perturbation effects—986
McMillen, Edwin. Isotopic constitution of lithium in the sun—240(L)
——— (see Grace, N. S.)—325(A)
——— **and Norman S. Grace.** Hyperfine structure in the tantalum arc spectrum—949(L)
McMillen, J. H. (see Hughes, A. L.)—20; 876
McPherson, Anna I. Doppler effect in spectra of positive rays of uniform velocity in argon, neon, helium—711
Meredith, George T. (see Broxon, J. W.)—253
Michels, Walter C. Note on the accommodation coefficient for helium—604(L)
Millikan, R. A. (see Bowen, I. S.)—246
Montgomery, C. G. (see Swann, W. F. G.)—52(L)
——— **and D. D. Montgomery.** Distribution of cosmic-ray nuclear disintegration in time—779(L)
Montgomery, D. D. (see Montgomery, C. G.)—779(L)
Mooney, R. C. L. and W. H. Zachariasen. Crystal lattice of ammonium persulphate, $(NH_4)_2S_2O_8$, and the structure of the persulphate group—327(A)
More, Kenneth R. (see Grace, N. S.)—128(A)
Morey, D. R. (see Webb, J. S.)—589
Morgan, H. E., L. T. DeVore and R. F. Baker. New method for amplifying and recording small e.m.f.'s—324(A)
Morse, Philip M. and W. P. Allis. Effect of exchange on the scattering of slow electrons from atoms—269

Morton, G. A. Directional effects in electron diffraction from single crystals—952(A)
Mott-Smith, Lewis M. and Lynn G. Howell. Airplane cosmic-ray intensity measurements—4
Mouzon, J. Carlisle. Ionization of the Noble gases by positive alkali ions. A correction—688(L)
Müller, Hans. Properties of Rochelle salt—854(L)
Mulliken, R. S. and D. S. Stevens. New O_2^+ bands. Dissociation energy of O_2^+ and ionization potential of O_2—720
Muskat, Morris. Reflection of plane wave pulses from plane parallel plates—319(A)

Nedelsky, Leo and J. R. Oppenheimer. Production of positives by nuclear gamma-rays—948(L)
Neher, H. V. (see Bowen, I. S.)—246
Nelson, H. R. Electron diffraction by hydrocarbons—717
Newson, Henry W. (see Harkins, William D.)—236(L); 529, 945(L)
——— (see Gans, David M.)—310(L)
Nielson, J. Rud. Rotational structure of the Raman band $(0000) \rightarrow (020 \pm 2)$ in linear symmetrical molecules YX_2—326(A); 911
——— (see Langseth, A.)—326(A)
Niewodniczanski, Henryk. Forbidden lines in the arc spectrum of lead—854(L)
Norris, Lawrence and A. G. Worthing. Rate of vaporization of molybdenum in vacuo—323(A)
Norton, Gardner A. Velocity of high frequency sound in tubes—951(A)
Nottingham, Wayne B. Measurements on the effect of light on spurious contact potentials and "trapped" electrons—311(L)

O'Bryan, H. M. (see Liben, I.)—952(A)
——— **and H. W. B. Skinner.** Experimental determination of the distribution of conduction electrons in metals—602(L)
Oppenheimer, J. R. (see Nedelsky, Leo)—948(L)
——— **and M. S. Plesset.** On the production of the positive electron—53(L)
Osgood, T. H. L x-ray spectrum of solid aluminum—517
Otis, H. N. Magnetic analysis of nickel films deposited by evaporation—843

Page, Leigh. Magnetized spheroid immersed in a permeable medium—112
Parker, Allan E. Further analysis of the N_2^+ bands—914
——— Rotational analysis of the perturbed (13, 15) 2Σ–$2\Sigma N_2^+$ band—90
——— Zeeman effect for perturbed N_2^+ terms—84
Parratt, Lyman G. Experimental study of the rocking curves of the Mn $K\alpha$ lines from pure Mn and from several Mn alloys—328(A)
——— Experimental study of the widths and shapes of the $K\alpha$ x-ray doublet from Ca (20) to Ni (28)—695
Patten, C. G. Magnitude of the L absorption discontinuities of thallium—328(A)
Pegram, G. B. (see Dunning, J. R.)—317(A)
Pekeris, C. L. Rotation-vibration coupling in diatomic molecules—953(A)
Pennell, Ford (see Jauncey, G. E. M.)—138
——— **and G. E. M. Jauncey.** Scattering of x-rays from powdered crystals at low temperatures—328(A)
Phillips, Melba. On the inversion of doublets in alkali-like spectra—644
Plesset, M. S. (see Oppenheimer, J. R.)—53(L)
Plyler, E. K. and E. F. Barker. Infrared bands and molecular constants of HBr—984
Pockman, L. T. (see Webster, D. L.)—130(A)
Pollard, W. G. Energy distribution in cosmic rays—703
Polvani, G. General form of the equation of state for a monoatomic ideal gas—123(L)
Pool, M. L. and S. J. Simmons. Hyperfine structure absorption in optically excited mercury vapor—997
——— **and S. J. Simmons.** Hyperfine structure intensities of the $2^3S_1 - P_{0,1,2}$ triplet in optically excited mercury vapor—744
Present, R. D. (see Kemble, E. C.)—1031(L)
Purdom, E. G. and J. M. Cork. Measurement of x-ray emission wave-lengths in the M series by means of the ruled grating—974
——— **and J. M. Cork.** Wave-lengths of certain M series lines by the ruled grating—328(A)

Ramsey, R. R. (see Hazel, Herbert)—321(A)
Randall, H. M. (see Wright, Norman)—391
Rao, S. Ramachandra. Ferromagnetism of nickel colloids—850
Rashevsky, N. On the calculation of the permeability of the cell surface to oxygen—322(A)
Revans, R. W. Transmission of waves through an ionized gas—798
Rice, O. K. Binding forces in the alkali metals according to the free electron theory—318(A)
——— (see Gibson, G. E.)—193
Richards, L. A. Use of triode vacuum tube rectifiers to supply constant voltage—324(A)
Richardson, H. W. (see Jauncey, G. E. M.)—328(A)
Richtmyer, F. K. and Sidney Kaufman. X-ray satellites of high atomic number elements—605
——— (see Hirsh, F. R., Jr.)—955
——— **S. W. Barnes and K. V. Manning.** Effect of grinding and etching on a pair of split calcite crystals—311(L)
Robertson, H. P. On E. A. Milne's theory of world structure—318(A)
Robinson, A. L. (see Hutchisson, E.)—323(A)
Roehr, Walter W. Effect of temperature on the energy distribution of photoelectrons. II. Total energies—866
——— **and L. A. DuBridge.** Effect of temperature on the energy distribution of photoelectrons—316(A)
Rose, Bernhard A. Measurements on contact potential difference between different faces of copper single crystals—585
Rosen, Nathan (see Manning, M. F.)—953(A)
Ross, P. A. K absorption discontinuities of the elements zirconium to iodine—130(A); 977
Ruark, Arthur E. Exponential law of radioactive disintegration—316(A); 654
——— Method to supplement dimensional analysis—329(A)

Ruark, Arthur E. (see Western, Forrest)—675
Ruedy, J. E. Arc spectrum of sulfur in the ultraviolet—757

Samson, E. W. (see Van Atta, L. C.)—316(A)
Sanders, Frederick H. Measurement of the Townsend coefficients for ionization by collision—129(A); 1020
Sanderson, J. A. (see Silverman, S.)—1032(L)
Sänger, Raymund. Some remarks on the frequency dependence of super-conductivity and ferromagnetism—302
Sawyer, J. H. Secondary and tertiary particles produced by cosmic rays—241
Schoessow, O. J. (see Hollister, S. C.)—330(A)
Schwégler, R. (see Déjardin, G.)—316(A)
Shane, C. D. (see Spedding, F. H.)—58(L)
Shaw, A. E. Electron orbits in crossed electric and magnetic fields—1006
Shawhan, E. N. (see Jarvis, C. W.)—943(L)
Shortley, George H. Energy levels of the rare-gas configurations—666
Shoupp, W. E. (see Kruger, P. Gerald)—105; 324(A)
Silverman, S. and J. A. Sanderson. Infrared spectrum of heavy ammonia—ND_3—1032(L)
Simmons, S. J. (see Pool, M. L.)—744; 997
Singer, W. E., J. D. Long and W. P. Davey. Structure of rubber as shown by the time lag of fibering—319(A)
Sixtus, K. J. On irregularities in magnetization—46
Skellett, A. M. (see Stewart, J. Q.)—125(L)
Skinner, H. W. B. (see O'Bryan, H. M.)—602(L)
Slater, J. C. Virial and molecular structure—953(A)
Sloane, R. H. and K. G. Emeleus. Effect of positive space charge in collector analysis of discharges—333
——— **and K. G. Emeleus.** Effect of space-charge in probe analysis of a plasma—322(A)
Smekal, Adolf G. On the theory of real crystals—308(L)
Smith, Albert. Absorption of NaCl, KCl and KI in the far ultraviolet—520
Smith, K. K. On the calculation of the coefficient C in Frank's formula for change of resistance—856(L)
Smyth, H. D. Emission and fluorescence spectra of sulphur dioxide—690(L)
Snoddy, L. B. Allison magneto-optic effect—691(L)
——— (see Beams, J. W.)—784(L)
Soltan, A. (see Crane, H. R.)—514(L); 692(L)
Sordahl, L. O. (see Wahlin, H. B.)—1030(L)
Sparks, F. M. (see Almy, G. M.)—365
Spedding, Frank H. and Richard S. Bear. Absorption spectra of the samarian ion in solids. III. Absorption of $Sm(BrO_3)_3 \cdot 9H_2O$ and a partial energy-level diagram for the Sm^{+++} ion as it exists in crystalline $Sm(BrO_3)_3 \cdot 9H_2O$—287
———**C. D. Shane and Norman S. Grace.** Fine structure of H^2 alpha—58(L)
Stannard, Carl R. (see Frederickson, W. R.)—632
Stephenson, Seymour Town. Fine structure in the K x-ray absorption spectrum of bromine—349
Sterne, T. E. Relative abundances of elements of even and odd mass number and atomic number—238(L)
Stevens, D. S. (see Mulliken, R. S.)—720
Stevens, T. H. and R. B. Abbott. Tone analysis and physical characteristics of violins—321(A)
Stevenson, E. C. Azimuthal asymmetry of the cosmic radiation in Colorado—855(L)
——— (see Johnson, T. H.)—125(L)
Stewart, J. Q. and A. M. Skellett. Study of images of small areas formed with feeble light—125(L)
Strait, Louis (see Broxon, J. W.)—253
Straub, H. W. (see Wood, R. W.)—1030(L)
Stueckelberg, E. C. G. Theory of continuous absorption of oxygen at 1450A. Erratum—234
Swann, W. F. G. Application of Liouville's theorem to electron orbits in the earth's magnetic field—224
——— Hoffmann Stösse and the origin of cosmic-ray ionization—1025
——— Measurement of the ionization per centimeter of path by individual secondary cosmic rays—961
——— Representation of radiation reaction in wave mechanics—943(L)
——— Space density of cosmic-ray particles—124(L)
——— **and C. G. Montgomery.** Cosmic-ray molecular disintegrations—52(L)

Taylor, John Bradshaw and Irving Langmuir. Evaporation of atoms, ions and electrons from caesium films on tungsten—423
Thomas, Clarence Delmar and R. T. Dufford. Efficiency of chemiluminescence accompanying oxidation of Grignard compounds—315(A)
Thompson, G. P. Comments on W. T. Sproull's article "Diffraction of low speed electrons by a tungsten single crystal"—417(L)
Thompson, Louis. Resistance function for dense fluids—320(A)
Todd, F. C. Changes in the x-ray diffraction pattern of nitrobenzene produced by an electric field, changes in temperature, and circulation—787
Tykociner, J. Tykocinski. Vibrating velocity selectors for atomic rays—322(A)
Tyler, Rayen Welch. Magnetic susceptibility of MnO as a function of the temperature—776

Ufford, C. W. Configuration interaction in complex spectra—732
——— (see Condon, E. U.)—740
Uhlenbeck, George E. (see Fermi, Enrico)—510(L)

Vallarta, M. S. Interpretation of the azimuthal effect of cosmic radiation—1
Van Atta, C. M. (see Granath, L. P.)—935
——— **and L. P. Granath.** Nuclear spin and magnetic moment of sodium from hyperfine structure—60(L)
Van Atta, L. C., E. W. Samson and R. J. Van de Graaff. Progress report on the electrostatic high voltage generator at Round Hill—316(A)
Van de Graaff, R. J. (see Van Atta, L. C.)—316(A)
Van Velzer, H. L. Thermionic constants for platinum—831
Van Vleck, J. H. and N. G. Whitelaw. Quantum defect of nonpenetrating orbits with special application to Al II—551

Van Voorhis, S. N. (see Harnwell, G. P.)—785(L)
Verwiebe, F. L. Radiation from canal ray impact—15
Vinti, J. P. Continuous absorption spectrum of helium—524

Wahlin, H. B. and L. O. Sordahl. Emission of electricity from columbium—1030(L)
Warburton, F. W. Electric waves, derived from Weber's energy equation—319(A)
Warren, B. E. X-ray diffraction in long chain liquids—952(A); 969
Waterman, A. T. and C. L. Henshaw. Extension of Fowler's theory of photoelectric sensitivity as a function of temperature—59(L)
Watson, William W. (see Cunningham, W. P.)—815
——— (see Margenau, H.)—92
———**and Henry Margenau.** Pressure effects of nitrogen on potassium absorption lines—748
Webb, J. S. and D. R. Morey. On the existence of time lags in the Faraday effect—589
Weber, Ernst. Distribution of conduction electrons in d.c. currents—318(A)
Webster, D. L., W. W. Hansen and F. B. Duveneck X-ray line intensities and cathode-ray retardation in thick targets of silver—258
——— **L. T. Pockman and Paul Kirkpatrick.** Probabilities of L ionizations of Au by cathode rays—130(A)
Western, Forrest and Arthur Ruark. Half-life of actino-uranium and the problem of geologic time—675
Wetzel, W. W. Quantum mechanical cross section for ionization of helium by electron impact—25
Wheeler, John A. and G. Breit. Li^+ fine structure and wave functions near the nucleus—948(L)
White, H. E. and O. E. Anderson. Hyperfine structure and nuclear spin of lanthanum—128(A)
——— **and A. Y. Eliason.** Relative intensity tables for spectrum lines—753
Whitelaw, N. G. Multiplet separations and perturbed terms—544
——— (see Van Vleck, J. H.)—551
Williams, John H. Relative intensities and transition probabilities of the K-series lines of the elements 24 to 52 by the ionization chamber method—146
Williams, Morgan L. Soft x-rays from (100) and (111) faces of copper single crystals—610
Williams, N. H. (see Cleeton, C. E.)—421(L)
Williams, P. S. (see Jauncey, G. E. M.)—794
Williams, R. C. and R. C. Gibbs. Fine structure of H_α—325(A)
——— (see Gibbs, R. C.—1029(L)
Wills, Lawrence A. (see Breit, G.)—470
Wilson, H. A. Alpha particles from radium C′—858(L)
——— Disintegration energies of radioactive nuclei—858(L)
Winch, Wesley R. (see Ingersoll, L. R.)—399
Wood, R. W. Remarkable optical properties of the alkali metals—353
——— **and H. W. Straub.** Influence of nitrogen and carbon dioxide upon the absorption spectrum of mercury vapor—1030(L)
Workman, E. J. Charging devices for portable ionization electroscopes—130(A)
Worthing, A. G. (see Norris, L.)—323(A)
Wright, Norman and H. M. Randall. Far infrared absorption spectra of ammonia and phosphine gases under high resolving power—391
Wright, W. H. Photographic studies of the planets in light of different wave-lengths—131(A)
Wu, Ta-You. Characteristic values of the two minima problem, and quantum defects of f states of heavy atoms—727
Wulff, John. Hyperfine structure and nuclear moment of gold—512(L)
——— (see Clewell, D. H.)—952(A)

Yamins, H. G. and W. A. Zisman. New method of studying the electrical properties of monomolecular films on liquids—323(A)
Yoe, John H. Lead isotopes by the magneto-optic method—420(L)
Young, Herbert A. (see Latimer, Wendell M.)—61(L); 690(L)

Zabel, R. M. Scattering of molecular rays in gases—53(L)
Zacharias, Jerrold. Temperature dependence of Young's modulus for nickel—116
Zachariasen, W. H. Crystal structure of boric acid—327(A)
——— (see Mooney, R. C. L.)—327(A)
Zeleny, John. Variation with temperature of the electrification produced in air by the disruption of water drops and its bearing on the prevalence of lightning—837
Zisman, W. A. (see Yamins, H. G.)—323(A)

ANALYTIC SUBJECT INDEX TO VOLUME 44

Absorption and reflection of light (see also **Spectra, absorption**)
Of Al and alloys, D. H. Clewell, J. Wulff—952(A)
By Au between 380A and 1400A, I. Liben, H. M. O'Bryan—952(A)

Accommodation coefficient
Classical "momentum transfer" theory, K. T. Compton, E. S. Lamar—338
For He, W. C. Michels—604(L)

Acoustics
Beat note-combinational tone controversy, H. Hazel, R. R. Ramsey—321(A)
Frequencies of multiple resonators; studies on the violin, R. O. Jenkins, R. B. Abbott—321(A)
Sound from a water jet, J. J. Hopfield—321(A)
Tone analysis and physical characteristics of violins, T. H. Stevens, R. B. Abbott—321(A)
Velocity of high frequency sound in tubes, G. A. Norton—951(A)

Alpha-particles (see **Radioactivity**)

Arcs (see also **Discharge of electricity in gases**)
Field electron emission and Hg arc, J. W. Beams—803

Astrophysics
Abundances of elements, T. E. Sterne—238(L)
Density of energy in universe, S. A. Korff—300
Hubble's constant and atomic constants, O. Halpern—855(L)
Li isotope in the sun, E. McMillan—240(L)
Milne's theory of world structure and relative cosmology, H. P. Robertson—318(A)
Shapes of solar absorption lines, T. Dunham, Jr.—329(A)

Atmospheric electricity (see **Meteorology**)

Atomic form factors
At low temperatures, G. E. M. Jauncey, F. Pennell—138; 328(A)

Atomic mass
Of electrons from components of $H^1\alpha$ and $H^2\alpha$, R. C. Gibbs, R. C. Williams—1029(L)
Of H^2 and He, K. T. Bainbridge—57(L)
Of Li isotope, K. T. Bainbridge—56(L)
And nuclear moments, N. S. Grace—58(L), 603(L), 361
Ratio of Li isotopes from spectrum, F. A. Jenkins, A. McKellar—325(A)

Atomic and molecular beams
Atomic rays of several hundred ion-volt-equivalent, O. Beeck—317(A)
Heat of dissociation of Bi_2 by method of molecular beams, C. C. Ko—129(A)
Scattering of molecular rays in gases, R. M. Zabel—53(L)
Vibrating velocity selectors, J. T. Tykociner—322(A)

Atomic and molecular radii (see **Scattering of electrons and ions**)

Atomic structure (see also **Energy states of atoms; Spectra, atomic**)
Breakdown of the Coulomb law for the H_2 atom, E. C. Kemble, R. D. Present—1031(L)

Barrier-layer photo-cells
Electrical characteristics, P. R. Gleason—315(A)
Sensitivity of the photronic cell to x-rays, P. R. Gleason—330(A)

Biophysics
Decomposition of H_2O by x-rays, H. Fricke, E. R. Brownscombe—240(L)
Mitogenetic radiation; search for, E. Lorenz—329(A)
Permeability of the cell surface to O_2, N. Rashevsky—322(A)

Canal rays
Radiation from canal ray impact, F. L. Verwiebe—15

Chemiluminescence
Efficiency; oxidation of Grignard compounds, C. D. Thomas, R. T. Dufford—315(A)
Efficiency; Wedekind reaction, W. L. Asling, R. T. Dufford—315(A)

Cold emission (see **Field currents**)

Collision diameter (see also **Scattering of electrons and ions**)
Quantum mechanical cross section for ionization of He, W. W. Wetzel—25

Collision phenomena (see **Scattering of electrons and ions**)

Colloids
Ferromagnetism of Ni colloids, S. R. Rao—850

Contact Potentials
Between faces of Cu single crystals, B. A. Rose—585
Effect of light, W. B. Nottingham—311(L)

Cosmic radiation
Airplane intensity measurements, L. M. Mott-Smith, L. G. Howell—4
Angular distribution in equatorial latitudes, T. H. Johnson—856(L)

Cosmic radiation (Continued)
Asymmetry at Swarthmore, T. H. Johnson, E. C. Stevenson—125(L)
Asymmetry, east and west counts, S. A. Korff—130(A); 515(L)
Azimuthal asymmetry in Colorado, E. C. Stevenson—855(L)
Density of energy, S. A. Korff—300
Distribution of nuclear disintegrations in time, C. G. Montgomery, D. D. Montgomery—779(L)
Energy distribution, W. G. Pollard—703
Factors that may produce fluctuations, J. W. Broxon, G. T. Meredith, L. Strait—253
High-altitude study; total energy content, I. S. Bowen, R. A. Millikan, H. V. Neher—246
Hoffmann Stösse and origin of ionization, W. F. G. Swann—1025
Interpretation of azimuthal effect, M. S. Vallarta—1
Ionization per cm of path by individual secondary rays, W. F. G. Swann—961
Liouville's theorem and electron orbits, W. F. G. Swann—224
Nature of showers, B. Cassen—513(L)
Neutrons from Stösse, G. L. Locher—779(L)
Nuclear disintegrations, W. F. G. Swann, C. G. Montgomery—52(L)
Positive and negative electrons, C. D. Anderson—406
Production of the positive electron, J. R. Oppenheimer, M. S. Plessett—53(L)
Ray counters and ray counts, G. F. Hull—952(A)
Secondary and tertiary particles, J. H. Sawyer—241
Space density, W. F. G. Swann—124(L)

Critical potentials (see **Potentials, critical**)

Crystal structure
Of ammonium persulphate and the persulphate group, R. C. L. Mooney, W. H. Zachariasen—327(A)
Of boric acid, W. H. Zachariasen—327(A)
Of KBr, S. T. Stephenson—349
Of potassium uranyl acetate, I. Fankuchen—327(A)
Of sodium thio-antimonate, C. Y. Hui—327(A)

Crystalline state
Analysis of Slater's compressibility data, H. M. Evjen—491
Binding forces in the alkali metals, O. K. Rice—318(A)
Conduction electrons in aluminum, T. H. Osgood—517
Contact potential between faces of copper single crystals, B. A. Rose—585
Crystallization of polymorphous substances on various surfaces, K. Lark-Horovitz, S. E. Madigan—320(A)
Elastic constants of Zn, A. W. Hanson—320(A)
Electron diffraction and imperfection of crystal surfaces, L. H. Germer—1012
Electron diffraction by hydrocarbons, H. R. Nelson—717
Electron diffraction from single crystals, G. A. Morton—952(A)
Electron, diffraction from W single crystals, J. H. Farnsworth—417(L); G. P. Thomson—417(L)
Ferromagnetism of Ni colloids, S. R. Rao—850
Forced double refraction, K. F. Herzfeld, R. H. Lee—625
Heteropolar crystals, theory of, H. M. Evjen—501
Hooke's law and crystal structure, A. E. Caswell—320(A)
Irregularities in magnetism, K. J. Sixtus—46
Magnetic dipole fields in cubic crystals, L. W. McKeehan—582
Magnetic field and energy in cubic and hexagonal crystals, L. W. McKeehan—38
Magnetic properties of Ba as function of temperature, C. T. Lane—43
Magnetic properties of Ni films, H. N. Otis—843
Magnetic saturation of cubic Co, R. I. Allen, F. W. Constant—228
Plasticity of rocksalt and its dependence, R. B. Barnes—898
Properties of Rochelle salt, H. Müller—854(L)
Susceptibility of MnO as a function of temperature, R. W. Tyler—776
Temperature dependence of Young's modulus for Ni, J. Zacharias—116
Theory of real crystals; secondary structure, A. G. Smekal—308(L)
X-ray investigations at high pressures, W. M. Cohn—326(A)

Deutons (see **Isotopes, Disintegration of nucleus**)

Diamagnetism (see **Magnetic properties**)

Dielectric constants (see **Dielectrics and dielectric properties**)

Dielectrics and dielectric properties
Atomic polarization of CO, L. A. Matheson—604(L)

Diffraction of electrons (see **Electron diffraction**)

Diffusion
Permeability of living cell to O_2, N. Rashevsky—322(A)

Dimensions and dimensional analysis
Method to supplement dimensional analysis, A. E. Ruark—329(A)

Discharge of electricity in gases (see also **Arcs; Electrons in gases**)
Faraday dark space, K. G. Emeleus, O. S. Duffendack—322(A)
Measurement of the Townsend coefficients, F. H. Sanders—1020; 129(A)
Probe analysis of a plasma, R. H. Sloane, K. G. Emeleus—322(A); 333
Waves in an ionized gas, R. W. Revans—798

Discharge of electricity in high vacua (see also **Thermionic emission; High voltage tubes and machines**)
Self-focussing electron streams, W. H. Bennett—322(A)
Temperature effect on field currents, A. J. Ahearn—277
Theory and experiment in cold emission, W. H. Bennett—859(L)

Disintegration of nucleus

α-particles from targets bombarded by deutons, G. N. Lewis, M. S. Livingston, E. O. Lawrence—55(L)
Application of the FP-54 Pliotron, L. R. Hafstad—201
Of Be by deuton bombardment, M. S. Livingston, M. C. Henderson, E. O. Lawrence—782(L)
Of Be by He ions, H. R. Crane, C. C. Lauritsen, A. Soltan—514(L)
Cosmic-ray disintegrations, W. F. G. Swann, C. G. Montgomery—52(L)
Energies of Ra C′, H. A. Wilson—858(L)
Energies of radioactive nuclei—H. A. Wilson—858(L)
Equivalence of mass and energy, K. T. Bainbridge—123(L)
Of F and formation of N^{16}, W. D. Harkins, D. M. Gans, H. W. Newson—945(L)
Of heavy H_2, M. S. Livingston, M. C. Henderson, E. O. Lawrence—781(L)
By ions of the heavy isotope of H_2, G. N. Lewis, M. S. Livingston, E. O. Lawrence—317(A)
Of N, C and Be by neutrons, W. D. Harkins, D. M. Gans, H. W. Newson—529
Of Li; production of neutrons, H. R. Crane, C. C. Lauritsen—783(L)
Of Li and Be by deutons, H. R. Crane, C. C. Lauritsen, A. Soltan—692(L)
By protons, M. S. Livingston, M. C. Henderson, E. O. Lawrence—316(A)
Protons from targets bombarded by deutons, E. O. Lawrence, M. S. Livingston, G. N. Lewis—56(L)
Three types of disintegration of calcium fluoride, E. O. Lawrence, M. S. Livingston—316(A)

Dissociation

Heat of dissociation of Bi_2, C. C. Ko—129(A)
Heats of H_2 and N_2, W. W. Lozier—575
Of O_2, R. S. Mulliken, D. S. Stevens—720

Doppler effect

In A, Ne and He canal rays, A. I. McPherson—711

Dynamics

Application of Liouville's theorem, W. F. G. Swann—224
Connection between Hamiltonian dynamics and wave mechanics, C. Lanczos—318(A)

Efficiency of ionization

Of Au by cathode rays, D. L. Webster, L. T. Pockman, P. Kirkpatrick—130(A)
Of the Noble gases by positive alkali ions—a correction, J. C. Mouzon—688(L)
Quantum mechanical cross section for ionization of He, W. W. Wetzel—25

Elasticity

Binding forces in the alkali metals, O. K. Rice—318(A)
Elastic constants of Zn, A. W. Hanson—320(A)
Hooke's law and crystal structure, A. E. Caswell—320(A)
Plasticity of rocksalt; dependence, upon water, R. B. Barnes—898
Reflection of plane wave pulses, M. Muskat—319(A)
Stress at a circular hole in a plate, S. C. Hollister, G. J. Schoessow—330(A)
Structure of rubber, W. E. Singer, J. D. Long, W. P. Davey—319(A)
Temperature dependence of Young's modulus for Ni, J. Zacharias—116

Electrical conductivity and resistance

Coefficient C in Frank's formula for change of resistance, K. K. Smith—856(L)
Conduction electrons in Al, T. H. Osgood—517
Frequency dependence of superconductivity, R. Sänger—302

Electrolytic cells

Single electrode potentials, E. Hutchisson, A. L. Robinson—323(A)

Electromagnetic theory

Electric waves, and from Weber's energy equation, F. W. Warburton—319(A)
Liouville's theorem and electron orbits in a magnetic field, W. F. G. Swann—224
Magnetic force and law of action and reaction, F. F. Cleveland—318(A)
Magnetized spheroid in a permeable medium, L. Page—112
Possibility of electric charge, A. Landé—689(L)

Electron diffraction (see also **Scattering of electrons**)

By hydrocarbons, H. R. Nelson—717
And imperfection of crystal surfaces, L. H. Germer—1012
By liquids, L. R. Maxwell—73
Scattering from liquid Hg, R. B. Brode, E. B. Jordan—872
From single crystals, G. A. Morton—952(A)
Sproull's results on W crystals, explanation of, H. E. Farnsworth—417(L); G. P. Thompson—417(L)

Electron tubes

Voltmeter with logarithmic response, F. V. Hunt—952(A)

Electrons in gases

Negative ion formation in O_2 and O_2 mixtures, N. E. Bradbury—883; 952(A)

Electrons in metals

Binding forces in the alkali metals, O. K. Rice—318(A)
Coefficient C in Frank's formula for change of resistance, K. K. Smith—856(L)
Conduction electrons in Al, T. H. Osgood—517
Distribution of electrons in direct currents, E. Weber—318(A)
Distribution from x-ray lines, H. M. O'Bryan, H. W. B. Skinner—602(L)

Electrons, positive (see **Positive electrons**)

Electrons, scattering of (see **Scattering of electrons and ions**)

Electrons, secondary
Produced by A atoms and ions, C. J. Brasefield—1002

Electrons, thermionic (see **Thermionic emission**)

Electro-optical effects (see also **Photoelectric effect and properties**)
Kerr effect in CO_2, N_2 and H_2, C. W. Bruce—682
Kerr effect in the infrared, L. R. Ingersoll, W. R. Winch —399

e/m
From components of $H^1\alpha$ and $H^2\alpha$; R. C. Gibbs, R. C. Williams—1029(L)
Surface charges on electrodes, orbits in crossed fields, A. E. Shaw—1006

Energy states of atoms (see also **Spectra, atomic**)
Charge distribution in F and Ne, F. W. Brown—214; In Be to Ne, F. W. Brown, J. H. Bartlett, Jr., C. G. Dunn—296
F states of heavy atoms, quantum defects, T-Y. Wu, —727

Equations of state
General form for a monoatomic ideal gas, G. Polvani—123(L)

Errata
Ionization of the noble gases by positive alkali ions, J. C. Mouzon—688(L)
Theory of continuous absorption of O_2 at 1450A, E. C. G. Stueckelberg—234
Variation of the principal magnetic susceptibilities of certain paramagnetic crystals with temperature, B. W. Bartlett—687

Errors of Measurement
Parameters in an empirical formula, W. E. Deming—317(A)

Evaporation
Of atoms, ions and electrons from Cs films on W, J. B. Taylor, I. Langmuir—423
Of Mo in vacuo, L. Norris, A. G. Worthing—323(A)

Excitation of atoms and molecules
Positive ion excitation of Hg vapor, E. J. Jones—707
Radiation at low critical potentials in Hg vapor, C. W. Jarvis, E. N. Shawhan—943(L)

Faraday effect (see **Magneto-optical effects**)

Field currents
Discrepancy between theory and experiment, W. H. Bennett—859(L)
Effect of temperature, A. J. Ahearn—277
From liquid Hg, J. W. Beams—803

Fine structures (see also **Spectra, etc., and Hyperfine structure**)
Of $H^2\alpha$, F. H. Spedding, C. D. Shane, N. S. Grace—58(L); R. C. Williams, R. C. Gibbs—325(A)
Of Li^+, wave function near nucleus, J. A. Wheeler, G. Breit—948(L)
Width of Balmer lines, E. C. Kemble and R. D. Present—1031(L)

Fluorescence (see also **Spectra, etc.**)
L-series x-ray satellites in fluorescence, F. R. Hirsh, Jr., F. K. Richtmyer—955
Of Sb_2, J. Genard—468

Geometry
Canonical coordinate system in Riemannian geometry, E. L. Akeley—318(A)

Geophysics
Cooling of a radioactive sphere, A. N. Lowan—769
Geologic time and half-life of actinouranium, F. Western, A. Ruark—675
Reflection of plane waves, M. Muskat—319(A)
U and Th content of rocks, R. D. Evans—129(A)

Hall effect
And coefficient *C* in Frank's formula for resistance change, K. K. Smith—856(L)

Heat conduction
Cooling of a radioactive sphere, A. N. Lowan—769

Heat of dissociation (see **Dissociation**)

High voltage tubes and machines
Production of high velocity ions and electrons, J. W. Beams, L. B. Snoddy—784(L)
High voltage generator at Round Hill, L. C. Van Atta, E. W. Samson, R. J. Van de Graaff—316(A)

Hydrodynamics
Resistance function for dense fluids, L. Thompson—320(A)
Study of a new water jet with stroboscope and camera, J. L. Hopfield—321(A)

Hyperfine structure (see also **Nuclear moments and spin**)
Absorption in optically excited Hg vapor, M. L. Pool, S. J. Simmons—997
Of Au, J. Wulff—512(L)
Of Bi IV; perturbation effects, A. B. McLay, M. F. Crawford—986
Intensities of triplet in optically excited Hg vapor, M. L. Pool, S. J. Simmons—744
Of Na, C. M. Van Atta, L. P. Granath—60(L)
And nuclear spin of Co, N. S. Grace, S. S. Ballard—128(A)
And nuclear spin of La, H. E. White, O. E. Anderson—128(A)
Of Mo, N. S. Grace, K. R. More—128(A).
Of Ta, N. S. Grace, E. McMillan—325(A)
In Ta I, E. McMillan, N. S. Grace—949(L)
Theory in intermediate coupling; comparison with experiment, G. Breit, L. A. Wills—470

Intensities in spectra (see also **Spectra, etc.**)
Hyperfine structure in Hg triplet, M. L. Pool, S. J. Simmons—744
Relative intensity tables. H. E. White, A. Y. Eliason—753

Ionization by positive ions (see also **Ionization potentials**)
Efficiency of ionization by alkali ions—a correction, J. C. Mouzon—688(L)
Positive ion source, E. J. Jones, S. B. Hendricks—322(A)
Positive ions from Cb, H. B. Wahlin, L. O. Sondahl —1030(L)
Proton source, E. S. Lamar, O. Luhr—947(L)
Source of positive alkali ions, P. Keck, L. B. Loeb—130(A)
Townsend coefficients, F. H. Sanders—1020; 129(A)

Ionization potentials
Of A by A atoms, O. Beeck—317(A)
Of Be III, P. G. Kruger, F. S. Cooper—418(L); B. Edlén—778(L)
Of O_2, R. S. Mulliken, D. S. Stevens—720

Ions in gases (see also **Electrons in gases**)
Analysis by mass-spectrograph, O. Luhr—459
Electron attachment in O_2, N. Bradbury—952(A)

Isotopes
Of Ca by the magneto-optic method, W. M. Latimer, H. A. Young—61(L)
Of Cl by magneto-optic method, E. R. Bishop, F. Allison —419(L)
Detection of H^3 by magneto-optic method, W. M. Latimer, H. A. Young—690(L)
Equivalence of mass and energy, K. T. Bainbridge—123(L)
Formation of N^{16}, W. D. Harkins, D. M. Gans, H. W. Newson—945(L)
H^2, infrared spectrum of NH_3^2, S. Silverman and J. A. Sanderson—1032(L)
H^2 shifts in spectra of $O^{16}H^2$, H. L. Johnston, D. H. Dawson—1031(L)
Of Li, A. McKellar—155
Of Li in the sun, E. McMillan—240(L)
Masses of H^2 and He, K. T. Bainbridge—57(L)
Masses of Li isotopes, K. T. Bainbridge—56(L); from spectrum, F. A. Jenkins, A. McKellar—325(A)
Measurement of mass by various methods, A.Bramley—309(L)
Of Pb by magneto-optic method, J. H. Yoe—420(L)
Of Pb by magneto-optic method, L. B. Snoddy—691(L)
Relative abundance of H_2 isotopes, W. Bleakney, A. J. Gould—265
Shift in Ne spectrum, J. H. Bartlett, Jr., J. J. Gibbons, Jr.—325(A); 538

Kerr effect (see **Electro-optical effects**)

Kinetic theory of gases
Scattering of molecular rays, R. M. Zabel—53(L)

Liquids
Properties of monomolecular films on liquids, H. G. Yamins, W. A. Zisman—323(A)
X-ray diffraction in long chain liquids, B. E. Warren —969

Low temperature phenomena
Gadolinium sulfate octahydrate below 1° absolute, W. F. Giauque, D. P. MacDougall—235(L)

Luminescence
Decay and light absorption in phosphorescent materials, D. H. Kabakjian—618

Magnetic fields
And energy in cubic and hexagonal crystals, L. W. McKeehan—38
Magnetized spheroid in a permeable medium, L. Page—112

Magnetic properties
Adiabatic demagnetizations of gadolinium sulfate, W. F. Giauque, D. P. MacDougall—235(L)
Of Ba, variation with temperature, C. T. Lane—43
Diamagnetism of crystals, A. E. Caswell—320(A)
Erratum, variation of the principal magnetic susceptibilities of certain paramagnetic crystals with temperature, B. W. Bartlett—687
Ferromagnetism of Ni colloids, S. R. Rao—850
Frequency dependence of ferromagnetism, R. Sänger—302
Irregularities in magnetization, K. J. Sixtus—46
Magnetic dipole fields in cubic crystals, L. W. McKeehan —582
Magnetic energy in cubic and hexagonal crystals L. W. McKeehan—38
Of Ni films deposited by evaporation, H. N. Otis—843
Saturation of cubic Co, R. I. Allen, F. W. Constant—228
Susceptibility of MnO at low temperatures, R. W. Tyler —776

Magneto-optical effects
Existence of time lags in the Faraday effect; test for, J. S. Webb, D. R. Morey—589
Faraday effect at high frequencies, G. P. Harnwell, W. Bleakney, S. N. Van Voorhis, J. B. H. Kuper—785(L)
Study of Allison magneto-optic effect, L. B. Snoddy—691(L)

Mass defects (see also **Isotopes**)
Nuclear theories of Heisenberg and Wigner, C. Eckart —109

Mass-spectrograph (see also **Methods and instruments**)
Analysis of gas ions, O. Luhr—459
Masses of H^2 and He, K. T. Bainbridge—57(L)
Masses of Li isotopes, K. T. Bainbridge—56(L)

Mechanics (see **Dynamics**)

Mechanics, quantum—atomic structure and spectra
Breakdown of Coulomb law for H atom, E. C. Kemble, R. D. Present—1031(L)
Characteristic values of the two minima problem, T-Y. Wu—727
Charge distributions in F and Ne, F. W. Brown—214; In B to Ne, F. W. Brown, J. H. Bartlett, Jr., C. G. Dunn—296
Configuration interaction in complex spectra, C. W. Ufford—732
Continuous absorption spectrum of He, J. P. Vinti—524
Levels of the rare gas configurations, G. H. Shortley—666

Mechanics, quantum—atomic structure and spectra (Continued)
Isotope shift in Ne, J. H. Bartlett, Jr., J. J. Gibbons, Jr.—325(A); 538
Magnetic interaction of a valence electron with inner-shells, M. H. Johnson, Jr., G. Breit—77
Multiplet separations and perturbed terms, N. G. Whitelaw—544
Quantum defect of nonpenetrating orbits, J. H. Van Vleck, N. G. Whitelaw—551
Theory of complex spectra, H. H. Marvin—818
Transition probabilities from spectroscopic stability, E. U. Condon, C. W. Ufford—740

Mechanics, quantum—general
Characteristic values for periodic potentials, H. D. Koenig—657
Connection between Hamiltonian dynamics and wave mechanics, C. Lanczos—318(A)
Cross section for ionization of He by electron impact, W. W. Wetzel—25
Emission and absorption of radiation, W. W. Hansen—954(A)
Physically admissible wave functions, E. C. Kemble—954(A)
Representation of radiation reaction, W. F. G. Swann—943(L)
Scattering by electrons in negative energy states, O. Halpern—855(L)

Mechanics, quantum—molecular structure and spectra
Intensity distribution in bands of triatomic molecules, Z. W. Ku—383
New treatment of the H_2 molecule, H. M. James, A. S. Coolidge—953(A)
Potential function for diatomic molecules, W. F. Manning, N. Rosen—953(A)
Raman effect in ammonia, C. M. Lewis, W. V. Houston—903
Rotation-vibration coupling in molecules, C. L. Pekeris—953(A)
Rotational structure of Raman band, J. R. Nielsen—911

Mechanics, statistical
Quantum statistics of almost classical assemblies, J. G. Kirkwood—31
Relative abundances of elements, T. E. Sterne—238(L)

Metals (see **Crystalline state**)

Meteorology
Electrification produced by the disruption of water drops; prevalence of lightning, J. Zeleny—837

Methods and instruments
Aligning of slits, J. Kunz—323(A)
Amplifying and recording small e.m.f's, H. E. Morgan, L. T. DeVore, R. F. Baker—324(A)
Charging devices for portable electroscopes, E. J. Workman—130(A)
Collector analysis in space charge, R. H. Sloane, K. G. Emeleus—333
Condensed discharge as source of spectrum, W. M. Cady—821
Cosmic-ray counters and ray counts, G. F. Hull—952(A)
Effect of grinding and etching calcite crystals; x-ray reflection, F. K. Richtmyer, S. W. Barnes, K. V. Manning—311(L)
Electrical properties of monomolecular films on liquids, H. G. Yamins, W. A. Zisman—323(A)
Electron collectors, A. E. Shaw—1006
Electron orbits in crossed electric and magnetic fields, A. E. Shaw—1006
Faraday effect at high frequencies, G. P. Harnwell, W. Bleakney, S. N. Van Voorhis, J. B. H. Kuper—785(L)
FP-54 Pliotron, an application, L. R. Hafstad—201
High voltage generator at Round Hill, L. C. Van Atta, E. W. Samson, R. J. Van de Graaff—316(A)
" Lines " of diffraction gratings, H. D. Babcock—129(A)
Magnetic deflection method for angular distribution of scattered electrons, A. P. Gagge—808
Magnetostatic oscillator for 1 cm waves, C. E. Cleeton, N. H. Williams—421(L)
Monochromatic filter for 4358A, W. H. Aughey, W. D. Lansing—326(A)
New method for determining thermionic work functions, G. W. Fox, R. M. Bowie—345
Parameters in an empirical formula and probable error, W. E. Deming—317(A)
Photoelectric photometer, T. Dunham, Jr.—329(A)
Positive ion source, E. J. Jones, S. B. Hendricks—322(A)
Production of high velocity ions and electrons, J. W. Beams, L. B. Snoddy—784(L)
Proton source, E. S. Lamar, O. Luhr—947(L)
Radioactive content of rocks determined from their surface radiation, R. D. Evans—129(A)
Recording photoelectric densitometer, L. T. DeVore—329(A)
Reflecting power of Al, D. H. Clewell, J. Wulff—952(A)
Reflection and absorption of light by Au, I. Liben, H. M. O'Bryan—952(A)
Relative intensities of x-ray lines, J. H. Williams—146
Source of positive alkali ions, P. Keck, L. B. Loeb—130(A)
Standard source for radiation measurements, L. T. DeVore, R. F. Baker—324(A)
Standard wave-lengths in the Cu spectrum, P. G. Kruger, F. S. Cooper—324(A); 826
Triode vacuum tube rectifiers, L. A. Richards—324(A)
Vacuum-tube voltmeter with logarithmic response, F. V. Hunt—952(A)
Velocity selectors for atomic rays, J. T. Tykociner—322(A)
Visco-conductimeter, C. L. Babcock, J. V. Hoffacker—320(A)
Wilson chamber illuminator, W. D. Harkins, D. M. Gans, H. W. Newson—529
Zeeman pattern analysis, R. A. Fisher—724

Molecular beams (see **Atomic and molecular beams**)

Molecular structure and constants (see also **Spectra molecular and Raman spectra**)
Absorption of Cl_2 at various temperatures, G. E. Gibson, O. K. Rice, N. S. Bayliss—193
Of Bi_2, G. M. Almy, F. M. Sparks—365
Of chlorine dioxide, Z. W. Ku—376
Of CO_2, E. F. Barker, A. Adel—185
Of HBr, E. K. Plyler, E. F. Barker—984
Of the H_2 molecule, H. M. James, A. S. Coolidge—953(A)
Of Li_2, A. McKellar—155
Of linear triatomic molecules, A. Langseth, J. R. Nielson—326(A)
Molecular structure and the virial, J. C. Slater—953(A)
Of NaK, F. W. Loomis, M. J. Arvin—126(L)
Of N_2, A. E. Parker—914
Of N_2^+ from rotational analysis, A. E. Parker—90
Of P_2, M. F. Ashley—919
Of Sb_2, J. Genard—468

Multiplets (see also **Spectra, atomic**)
Separations and perturbed terms, N. G. Whitelaw—544

Neutrons
From Be bombarded by deutons, M. S. Livingston, M. C. Henderson, E. O. Lawrence—782(L)
From Be and Li bombarded by deutons, H. R. Crane, C. C. Lauritsen, A. Soltan—692(L)
Collisions with protons, F. N. D. Kurie—463
Comparison of theories of Heisenberg and Wigner, C. Eckart—109
From cosmic-ray Stösse, G. L. Locher—779(L)
Dependence of absorption on velocity, T. W. Bonner—235(L)
From deutons and the mass of the neutron, M. S. Livingston, M. C. Henderson, E. O. Lawrence—781(L)
Disintegrations of Ne nuclei, W. D. Harkins, D. M. Gans, H. W. Newson—236(L)
From Li bombarded by protons, H. R. Crane, C. C. Lauritsen—783(L)
Nuclear constitution of H^2, E. O. Lawrence, M. S. Livingston, G. N. Lewis—56(L)
Produced by high speed He ions, H. R. Crane, C. C. Lauritsen, A. Soltan—692(L); By deutons 692(L); 783(L)
Produced by million volt He ions, H. R. Crane, C. C. Lauritsen, A. Soltan—514(L)
Scattering, path in magnetic field, J. R. Dunning, G. B. Pegram—317(A)

Nuclear moments and spin (see also **Hyperfine structure**)
And atomic number and mass number, N. S. Grace—58(L); 361; 603(L)
Of Li^7 from hyperfine structure, N. M. Gray—570
Magnetic moment of proton, A. Landé—1028(L)
Of Na, N. P. Heydenburg, A. Ellett—326(A); L. P. Granath, C. M. Van Atta—935
Of P_2 from spectrum, M. F. Ashley—919

Nucleus (see also **Disintegration of nucleus**)
α-particles from targets bombarded by deutons, G. N. Lewis, M. S. Livingston, E. O. Lawrence—55(L); Protons from targets—56(L)
Disintegrations of Ne nuclei, W. D. Harkins, D. M. Gans, H. W. Newson—236(L)
Magnetic moment of H_2, J. Kunz—323(A)

Optical constants and properties
Of the alkali metals in the ultraviolet, R. W. Wood—353
Forced double refraction in cubic crystals, K. F. Herzfeld, R. H. Lee—625

Optical instruments (see also **Methods and instruments**)
Formula for diffraction by grating, C. Eckart—12

Optical theory
Forced double refraction in crystals, K. F. Herzfeld, R. H. Lee—625
Formula for diffraction by grating, C. Eckart—12
Reflection from a moving mirror, N. Galli-Shohat—319(A)
Reflection of plane wave pulses, M. Muskat—319(A)

Oscillators (see also **Electrical circuits**)
Beat-note-combinational tone controversy, H. Hazel, R. R. Ramsey—321(A)
Magnetostatic oscillator producing 1-3 cm waves, C. E. Cleeton, N. H. Williams—421(L)

Phosphorescence
Decay of luminescence, D. H. Kabakjian—618

Photoelectric effect and properties; cells
Alkali ions and emissivity of W, A. K. Brewer—1016
Amplifying and recording small e.m.f.'s by photo-cells, H. E. Morgan, L. T. DeVore, R. F. Baker—324(A)
Current between parallel plates, F. H. Sanders—1020
Extension of Fowler's theory, A. T. Waterman, C. L. Henshaw—59(L)
Properties of Mg layers, G. Déjardin, R. Schwégler—316(A)
Temperature and energy distribution of photoelectrons, W. W. Roehr, L. A. DuBridge—316(A)
Temperature and energy distribution; normal energies, L. A. DuBridge, R. C. Hergenrother—861
Temperature and energy distribution; total energy, W. W. Roehr—866
Yields in extreme ultraviolet from Ni, W, Mg, W-O and Constantan, C. Kenty—891

Photography
Action of hydrogen peroxide, M. W. Jones, J. M. Blair—131(A)
Images formed with feeble light, J. Q. Stewart, A. M. Skellett—125(L)
Intermittency effect, J. M. Blair, M. C. Hylan—131(A)

Photometry
Intermittency effect, J. M. Blair, M. C. Hylan—131(A)
Photoelectric photometer, T. Dunham, Jr.—329(A)
Recording photoelectric densitometer, L. T. DeVore—329(A)

Photons
Images formed with feeble light, J. Q. Stewart, A. M. Skellett—125(L)

Photovoltaic effect
Cells containing Grignard solutions, T. R. Dufford—315(A)

Photronic cells (see **Barrier-layer photo cells**)

Plasmoidal discharges (see **Discharge of electricity in gases**)

Polarization of radiation
Of Na resonance radiation, N. P. Heydenburg, A. Ellett—326(A)

Positive electron
Cosmic-ray positive and negative electrons, C. D. Anderson—406
Produced by nuclear γ-rays, L. Nedelsky, J. R. Oppenheimer—948(L)
Production by electrons, W. H. Furry, J. F. Carlson—237(L)
Recombination of electrons and positrons, E. Fermi, G. E. Uhlenbeck—510(L)
Theory of production, J. R. Oppenheimer, M. S. Plessett—53(L)

Potentials, critical (see also **Ionization potentials**)
Positive ion excitation of Hg vapor, E. J. Jones—707
Radiation at low critical potentials in Hg, C. W. Jarvis, E. N. Shawhan—943(L)
Soft x-ray potentials: Cu single crystals, M. L. Williams—610

Probability of ionization (see **Efficiency of ionization**)

Quantum defect
F states of heavy atoms, T-Y Wu—727
Of nonpenetrating orbits, J. H. Van Vleck, N. G. Whitelaw—551

Quenching of radiation
Of I fluorescence by I and A, J. F. Koehler—761

Radiation (see also **Thermal radiation**)
From canal ray impact, F. L. Verwiebe—15

Radioactivity
α-particles from Ra C′, H. A. Wilson—858(L)
Application of probabilities, N. I. Adams, Jr.—651
Of Be, failure to detect, R. D. Evans, M. C. Henderson—59(L); 131(A); D. M. Gans, W. D. Harkins, H. W. Newson—310(L); W. F. Libby—512(L)
Disintegration energies, H. A. Wilson—858(L)
Exponential law of decay, A. E. Ruark—654
Half-life of actinouranium and geologic time, F. Western, A. Ruark—675
Probability and the exponential law, A. E. Ruark—316(A)
Th content of rocks; radiations from surfaces of solids, R. D. Evans—129(A)
U and Th content of rocks, R. D. Evans—129(A)

Raman spectra
In ammonia and other gases, C. M. Lewis, W. V. Houston—903
Of gaseous CO_2, A. Adel—691(L)
Of linear triatomic molecules, A. Langseth, J. R. Nielsen—326(A)
Structure of band in molecules of type X-Y-X, J. R. Nielsen—911
Structure of the Raman band in linear symmetrical molecules, J. R. Nielsen—326(A)
Of three amines, P. L. Bayley—510(L)

Reflecting power (see **Absorption and reflection of light**)

Relativity
Dirac's theory of the electron, E. Fermi, G. E. Uhlenbeck—510(L)
Milne's theory of world structure and relativistic cosmology, H. P. Robertson—318(A)

Scattering of electrons and ions (see also **Collision diameter; Electrons in gases; Electron diffraction**)
Effect of exchange, P. M. Morse, W. P. Allis—269
Inelastic scattering by He atoms, A. L. Hughes, J. H. McMillen—20
From liquid Hg, R. B. Brode, E. B. Jordan—872
Magnetic deflection method for angular distribution, A. P. Gagge—808
In methane, acetylene and ethylene, A. L. Hughes, J. H. McMillen—876

Scattering of light
Produced by electrons in negative energy states, O. Halpern—855(L)

Secondary electrons (see **Electrons, secondary**)
From liquid Hg, R. B. Brode, E. B. Jordan—872

Solid state (see **Crystalline state**)

Sound (see **Acoustics**)

Specific heat
Of gadolinium sulfate octahydrate below 1° absolute, W. F. Giauque, D. P. MacDougall—235(L)

Spectra, absorption (see also **Absorption of light**)
Of Bi_2; analysis, G. M. Almy, F. M. Sparks—365
Of chlorine dioxide, Z. W. Ku—376
Of Cl_2, G. E. Gibson, N. S. Bayliss—188
Of Cl_2, theory of variation with temperature, G. E. Gibson, O. K. Rice, N. S. Bayliss—193
Of CO_2 near 10μ, E. F. Barker, A. Adel—185
Continuous spectrum of He; calculations, J. P. Vinti—524
Of Hg vapor, influence of N_2 and CO_2, R. W. Wood, H. W. Straub—1030(L)
Infrared of ammonia and phosphine gases, N. Wright, H. M. Randall—391
Of Li_2, A. McKellar—155
Of liquid O_2, J. W. Ellis, H. O. Kneser—420(L)
Of NaCl, KCl, and KI in far ultraviolet, A. Smith—520

Of O_2 at 1450A, erratum, E. C. G. Stueckelberg—234
Pressure effects of gases on the Na *D*-lines, H. Margenau, W. W. Watson—92
Pressure effects of N_2 on *K* lines, W. W. Watson, H. Margenau—748
Of the Sm ion in solids, F. H. Spedding, R. S. Bear—287
Of SO_2, T.-C. Chow—638; H. D. Smyth—690(L)

Spectra, atomic
Of Be III, P. G. Kruger, F. S. Cooper—418(L); B. Edlén—778(L)
Components of $H^1\alpha$ and $H^2\alpha$, R. C. Gibbs, R. C. Williams—1029(L)
Of Cb IV, R. J. Lang—325(A)
Configuration interaction, C. W. Ufford—732
Doppler effect in canal rays, A. I. McPherson—711
Fine structure of $H^2\alpha$, R. C. Williams, R. C. Gibbs—325(A); F. H. Spedding, C. D. Shane, N. S. Grace—58(L)
Forbidden lines in Pb I, H. Niewodniczanski—854(L)
Hfs of Bi IV; perturbation effects, A. B. McLay, M. F. Crawford—986
Inversion of doublets in alkali-like spectra, M. Phillips—644
Isotope effect in Pb, B. H. Dickinson—329(A)
Isotope shift in Ne, J. H. Bartlett, Jr., J. J. Gibbons, Jr.—325(A); 538
Isotope shift of Tl, G. Breit—418(L)
Li^+ fine structure, J. A. Wheeler, G. Breit—948(L)
Magnetic interaction terms, M. H. Johnson, Jr., G. Breit—77
Multiplet separations and perturbed terms, N. G. Whitelaw—544
Multiplet transition probabilities, E. U. Condon, C. W. Ufford—740
Multiplets of O III, O IV, and O V, and C III, P. G. Kruger, W. E. Shoupp—105; 324(A)
New terms in N III, N IV, N V, O III, O IV, and O V, W. M. Cady—821; 128(A)
Quantum defect of nonpenetrating orbits, application to Al II, J. H. Van Vleck, N. G. Whitelaw—551
Rare-gas configurations, energy levels, G. H. Shortley—666
Relative intensity tables, H. E. White, A. Y. Eliason—753
Of S in ultraviolet, J. E. Ruedy—757
Stellar stark line He λ4470, J. S. Foster, A. V. Douglas—325(A)
Theory of complex spectra, H. H. Marvin—818
Width of Balmer lines, E. C. Kemble and R. D. Present—1031(L)

Spectra, general
Asymmetries of pressure broadening, H. Margenau—931; 954(A)
Cu wave-lengths in the region 100A to 450A, P. G. Kruger, F. S. Cooper—826
Hfs absorption in optically excited Hg vapor, M. L. Pool, S. J. Simmons—917
Pressure effects of gases on the Na *D*-lines, H. Margenau, W. W. Watson—92
Quenching of I fluorescence by I_2 and A, J. F. Koehler—761
Radiation at low critical potentials in Hg vapor, C. W. Jarvis, E. N. Shawhan—943(L)

Spectra, molecular (see also **Molecular structure and constants**)
Of Al halides, F. H. Crawford, C. F. Ffolliott—953(A)
Of CO_2, infrared, A. Adel, D. M. Dennison—99
From an unusual N_2 tube, J. Kaplan—783(L)
Of H_2 in ultraviolet, C. R. Jeppesen—165
Inert gas molecules, K. G. Emeleus, O. S. Duffendack—945(L)
Infrared bands of HBr, E. K. Plyler, E. F. Barker—984
Infrared, of heavy ammonia—ND_3, S. Silverman, J. A. Sanderson—945(L)
Intensity distribution in bands of triatomic molecules, Z. W. Ku—383
Magnetic rotation spectrum of Na, W. R. Frederickson, C. R. Stannard—632
Of NaK, F. W. Loomis, M. J. Arvin—126(L)
N_2^+ band analysis, A. E. Parker—914
NH_3 isotope shift of vibration bands, S. Silverman and J. A. Sanderson—1032(L)
Of neutral OH; new electron bands, K. Chamberlain, H. B. Cutter—927
New band system in N_2, J. Kaplan—947(L)
New O_2^+ bands, R. S. Mulliken, D. S. Stevens—720
Of $O^{16}H^2$; isotope shifts, H. L. Johnston, D. H. Dawson—1031(L)
Potential function for diatomic molecules, M. F. Manning, N. Rosen—953(A)
Rotation-vibration coupling, C. L. Pekeris—953(A)
Rotational analysis, (13, 15) N_2^+ band, A. E. Parker—90
Of SO_2, T.-C. Chow—638; H. W. Smyth—690(L)
Zeeman effect and uncoupling phenomena in CaH bands, W. P. Cunningham, W. W. Watson—815

Spectroscopy, technique
Standard wave-lengths in the Cu spectrum; 80A to 650A, P. G. Kruger, F. S. Cooper—324(A); 826

Statistical mechanics (see **Mechanics, statistical**)

Superconductivity (see **Electrical conductivity and resistance**)

Surface phenomena
Alkali ions and emissivity of W, K. A. Brewer—1016
Cs on W, J. B. Taylor, I. Langmuir—423

Thermal radiation
Emissivity of a non-black body, L. T. DeVore—324(A)
Standard source for radiation measurements, L. T. DeVore, R. F. Baker—324(A)

Thermionic emission of electrons; emitting surfaces (see also **Electron tubes**)
From Cs films on W, J. B. Taylor, I. Langmuir—423
Spurious contact potentials and "trapped" electrons, W. B. Nottingham—311(L)
Thermionic constants for Pt, H. L. Van Velzer—831

Work function of Co, H. B. Wahlin, L. O. Sordahl—1030(L)
Work functions of Ni by new method, G. W. Fox, R. M. Bowie—345

Thermionic emission of positive ions
From CO, H. B. Wahlin, L. O. Sordahl—1030(L)
From Cs films on W. J. B. Taylor, I. Langmuir—423
From oxides, E. J. Jones, S. B. Hendricks—322(A)

Thermoelectric phenomena
Thermoelectric force of thin films, E. A. Johnson, L. Harris—944(L)

Vacuum tubes (see also **Electron tubes**)
Rectifiers to supply constant voltage, L. A. Richards—324(A)

Viscosity
And conductivity of molten gases, K. Lark-Horovitz, C. L. Babcock—321(A)
Fluidities of thixotropic gels, H. A. Ambrose, A. G. Loomis—320(A)
New visco-conductimeter, C. L. Babcock, J. V. Hoffacker—320(A)

Wave mechanics (see **Mechanics, quantum, etc.**)

Work functions (see **Thermionic emission, etc.**)

X-rays, absorption
Decomposition of H_2O, H. Fricke, E. R. Brownscombe—240(L)
Of the elements Zi to I, P. A. Ross—977
Fine structure in *K* spectrum of Bi, S. T. Stephenson—349
K discontinuities of the elements Zi to I, P. A. Ross—130(A)
K limits of the elements Mn to Zn, A. H. Barnes—141
L discontinuities of Tl, C. G. Patten—328(A)
Laws for soft x-rays, E. Dershem—328(A)

X-rays, diffraction, scattering, reflection, refraction and polarization
Changes in diffraction of nitrobenzene produced by various factors, F. C. Todd—787
Diffraction at high pressures, W. M. Cohn—326(A)
Diffraction in long chain liquids, B. E. Warren—969; 952(A)
Diffuse scattering, variation with temperature and angle, G. E. M. Jauncey, P. S. Williams—794
Effect of high temperature on scattering, G. G. Harvey—133
Formula for diffraction by grating, C. Eckart—12
Scattering from powdered crystals at low temperatures, F. Pennell, G. E. M. Jauncey—138; 328(A)

X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Form of *L* spectrum of Al, T. H. Osgood—517
Form of lines from light elements, H. M. O'Bryan, H. W. B. Skinner—602(L)
From (100) and (111) faces of Cu single crystals, M. L. Williams—610
Intensities of *L*-series satellites in cathode-ray and in fluorescence excitation, F. R. Hirsh, Jr., F. K. Richtmyer—955
Line intensities and cathode-ray retardation, D. L. Webster, W. W. Hansen, F. B. Duveneck—258
M-series wave-lengths by ruled grating, E. G. Purdom, J. M. Cork—974
Probabilities of ionizations of Au, D. L. Webster, L. P. Pockman, P. Kirkpatrick—130(A)
Radiation produced by fast Hg ions, W. M. Coates, E. O. Lawrence—327(A)
Rocking curves of $K\alpha$ lines from Mn alloys, L. G. Parratt—328(A)
Satellites of high atomic number elements, F. K. Richtmyer, S. Kaufman—605
Widths of the $K\alpha$ doublet from 26Fe to 47Ag, S. K. Allison—63
Widths and shapes of the $K\alpha$ doublet from Ca to Ni, L. G. Parratt—695

X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Relative intensities and transition probabilities *K*-series, elements 24 to 52, J. H. Williams—146
Sensitiveness of photographic films at low temperatures, G. E. M. Jauncey, H. W. Richardson—328(A)
Transmission through filters, P. A. Ross—977
Wave-lengths by the ruled grating, E. G. Purdom, J. M. Cork—328(A)

X-rays, tubes, apparatus
Effect of grinding and etching calcite crystals, F. K. Richtmyer, S. W. Barnes, K. V. Manning—311(L)
Formula for diffraction by grating, C. Eckart—12

Zeeman effect
Analysis of patterns, R. A. Fisher—724
And uncoupling phenomena in CaH bands, W. P. Cunningham, W. W. Watson—815
For perturbed N_2^+ terms, A. E. Parker—84
Second order effect in the Hg I, J. B. Green, R. A. Loring—325(A)